


NORTHAMPTON COUNTY



Mark Cline
Building Official

Building Department
P.O. 538
Eastville, VA 23347
Phone: (757) 678-0445
Fax: (757) 678-0483

July 1, 2005
Revised 5/2008

Wind Resistant Construction Policy Registered Design Professionals 2006 Virginia Uniform Statewide Building Code / Virginia Construction Code Section 111

Policy:

Effective immediately, it shall be to policy of the Northampton County Building Department, under the authority of section 111 of the 2006 Virginia Uniform Statewide Building Code (USBC), and subsequent editions of the USBC, to require that a Virginia registered design professional (architect or engineer), or a structural engineer registered in another State of the United States, review and seal and sign structural plans for all buildings, including single family dwellings or additions to single family dwellings to be built within 1,500 feet of tidal salt water. Tidal salt water includes the Chesapeake Bay, the creeks, inlets, and bodies of water leading off the Chesapeake Bay; Seaside bodies of water such as Hog Island Bay, Outlet Bay, Ramshorn, Mockhorn Bay and similar bodies of water including their associated creeks, guts and inlets.

The registered design professional shall certify that :

"The structure, including doors and windows, if built according to the plans, will withstand 110 mile per hour wind speeds without major structural damage or failure."

The building official may waive this requirement for small sheds, detached garages, decks, piers, bulkheads or similar small structures, not normally occupied by persons during storm events, where structural failure is not likely to damage adjacent occupied or habitable structures.

2006 USBC / VCC - SECTION 111.1. REGISTERED DESIGN PROFESSIONAL SERVICES.

111.1 When required. In accordance with Section 54.1-410 of the Code of Virginia and under the general authority of this code, the local building department shall establish a procedure to ensure that construction documents under Section 109 are prepared by an RDP in any case in which the exemptions contained in Sections 54.1-401, 54.1-402 or Section 54.1-402.1 of the Code of Virginia are not applicable or in any case where the building official determines it necessary. When required under Section 54.1-402 of the Code of Virginia or when required by the building official, or both, construction documents shall bear the name and address of the author and his occupation.